

# LC022019

**Sample ID:** 1903CSALA1677.5903  
**Strain:** LC022019  
**Matrix:** Concentrates & Extracts  
**Type:** Other  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/11/2019  
**Received:** 03/11/2019  
**Completed:** 03/18/2019  
**Batch#:**

**Client:**  
**Theramu, LLC**  
**Lic. #**  
**PO Box 21445**  
**Bakersfield, CA 93390**



## Summary

**Pass**

<b>99.90%</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Pass</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

## Cannabinoids

**Complete**

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
THCa	0.00002	0.0001	ND	ND
Δ9-THC	0.00004	0.0001	ND	ND
Δ8-THC	0.00004	0.0001	ND	ND
THCV	0.00004	0.0001	ND	ND
CBDa	0.00002	0.0001	ND	ND
CBD	0.00004	0.0001	99.90	999.00
CBDV	0.00001	0.0001	ND	ND
CBN	0.00002	0.0001	ND	ND
CBGa	0.00002	0.0001	ND	ND
CBG	0.00004	0.0001	ND	ND
CBC	0.00001	0.0001	ND	ND
<b>Total</b>			<b>99.90</b>	<b>999.00</b>

**ND**  
Total THC

**99.90%**  
Total CBD

## Terpenes

**Not Tested**

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Mass	Mass
---------	-----	-----	------	------

Date Tested: 03/18/2019

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NR = Not Reported; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;

<b>NT</b> Moisture Moisture Analyzer SOP-103 Date Tested:	<b>NT</b> Water Activity Water Activity Meter SOP-102 Date Tested:	<b>Pass</b> Foreign Matter Visual Inspection SOP-001 Date Tested: 03/14/2019
--	---	---


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 03/18/2019



 Anya Engen  
 Quality Manager  
 03/18/2019


# LC022019

**Sample ID:** 1903CSALA1677.5903  
**Strain:** LC022019  
**Matrix:** Concentrates & Extracts  
**Type:** Other  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/11/2019  
**Received:** 03/11/2019  
**Completed:** 03/18/2019  
**Batch#:**

**Client:**  
**Theramu, LLC**  
**Lic. #**  
**PO Box 21445**  
**Bakersfield, CA 93390**

## Pesticides

Test Method: LCMS &amp; GCMS-SOP 301

**Pass**

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.018	0.059	0.1	ND	Pass	Fludioxonil	0.007	0.024	0.1	ND	Pass
Acephate	0.009	0.029	0.1	ND	Pass	Hexythiazox	0.007	0.024	0.1	ND	Pass
Acequinocyl	0.005	0.018	0.1	ND	Pass	Imazalil	0.004	0.012	0.004	ND	Pass
Acetamiprid	0.004	0.013	0.1	ND	Pass	Imidacloprid	0.039	0.129	5	ND	Pass
Aldicarb	0.004	0.013	0.004	ND	Pass	Kresoxim Methyl	0.005	0.017	0.1	ND	Pass
Azoxystrobin	0.006	0.019	0.1	ND	Pass	Malathion	0.01	0.032	0.5	ND	Pass
Bifenazate	0.004	0.014	0.1	ND	Pass	Metalaxyl	0.003	0.01	2	ND	Pass
Bifenthrin	0.008	0.027	3	ND	Pass	Methiocarb	0.006	0.02	0.006	ND	Pass
Boscalid	0.006	0.019	0.1	ND	Pass	Methomyl	0.009	0.03	1	ND	Pass
Captan	0.0789	0.2631	0.7	ND	Pass	Methyl Parathion	0.007	0.0233	0.007	ND	Pass
Carbaryl	0.005	0.015	0.5	ND	Pass	Mevinphos	0.003	0.011	0.003	ND	Pass
Carbofuran	0.005	0.018	0.005	ND	Pass	Myclobutanil	0.017	0.058	0.1	ND	Pass
Chlorantraniliprole	0.007	0.024	10	ND	Pass	Naled	0.007	0.024	0.1	ND	Pass
Chlordane	0.0291	0.0969	0.0291	ND	Pass	Oxamyl	0.003	0.009	0.5	ND	Pass
Chlorfenapyr	0.01	0.033	0.01	ND	Pass	Paclbutrazol	0.013	0.044	0.013	ND	Pass
Chlorpyrifos	0.005	0.017	0.005	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.1	ND	Pass
Clofentezine	0.006	0.019	0.1	ND	Pass	Permethrin	0.011	0.036	0.5	ND	Pass
Coumaphos	0.009	0.028	0.009	ND	Pass	Phosmet	0.007	0.025	0.1	ND	Pass
Cyfluthrin	0.008	0.026	2	ND	Pass	Piperonyl Butoxide	0.005	0.018	3	ND	Pass
Cypermethrin	0.013	0.044	1	ND	Pass	Prallethrin	0.007	0.024	0.1	ND	Pass
Daminozide	0.021	0.07	0.021	ND	Pass	Propiconazole	0.008	0.026	0.1	ND	Pass
DDVP	0.004	0.012	0.004	ND	Pass	Propoxur	0.004	0.013	0.004	ND	Pass
Diazinon	0.005	0.017	0.1	ND	Pass	Pyrethrins	0.003	0.01	0.5	ND	Pass
Dimethoate	0.003	0.011	0.003	ND	Pass	Pyridaben	0.008	0.027	0.1	ND	Pass
Dimethomorph	0.007	0.023	2	ND	Pass	Spinetoram	0.007	0.022	0.1	ND	Pass
Ethoprophos	0.004	0.013	0.004	ND	Pass	Spinosad	0.005	0.016	0.1	ND	Pass
Etofenprox	0.005	0.017	0.005	ND	Pass	Spiromesifen	0.007	0.023	0.1	ND	Pass
Etoazole	0.006	0.018	0.1	ND	Pass	Spirotetramat	0.009	0.03	0.1	ND	Pass
Fenhexamid	0.009	0.03	0.1	ND	Pass	Spiroxamine	0.006	0.019	0.006	ND	Pass
Fenoxycarb	0.007	0.022	0.007	ND	Pass	Tebuconazole	0.013	0.042	0.1	ND	Pass
Fenpyroximate	0.009	0.03	0.1	ND	Pass	Thiacloprid	0.007	0.023	0.007	ND	Pass
Fipronil	0.017	0.056	0.017	ND	Pass	Thiamethoxam	0.004	0.013	5	ND	Pass
Fonicamid	0.0244	0.0814	0.1	ND	Pass	Trifloxystrobin	0.004	0.014	0.1	ND	Pass

Date Tested: 03/15/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 03/18/2019



 Anya Engen  
 Quality Manager  
 03/18/2019




# LC022019

Sample ID: 1903CSALA1677.5903  
Strain: LC022019  
Matrix: Concentrates & Extracts  
Type: Other  
Sample Size: 1 units; Batch:

Produced: N/A  
Collected: 03/11/2019  
Received: 03/11/2019  
Completed: 03/18/2019  
Batch#:

Client  
**Theramu, LLC**  
Lic. #  
PO Box 21445  
Bakersfield, CA 93390

## Residual Solvents

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.024	0.24	1	ND	Pass
Acetone	0.112	1.12	5000	19.71	Pass
Acetonitrile	0.0196	0.196	410	ND	Pass
Benzene	0.0096	0.096	1	ND	Pass
Butane	0.2	2	5000	ND	Pass
Chloroform	0.0288	0.288	1	ND	Pass
Ethanol	0.112	1.12	5000	11.47	Pass
Ethyl-Acetate	0.112	1.12	5000	ND	Pass
Ethyl-Ether	0.112	1.12	5000	ND	Pass
Ethylene Oxide	0.024	0.24	1	ND	Pass
Heptane	0.112	1.12	5000	ND	Pass
Isopropanol	0.112	1.12	5000	ND	Pass
Methanol	0.144	1.44	3000	ND	Pass
Methylene-Chloride	0.0288	0.288	1	ND	Pass
n-Hexane	0.1392	1.392	290	ND	Pass
Pentane	0.112	1.12	5000	ND	Pass
Propane	0.08	0.8	5000	ND	Pass
Toluene	0.4272	4.272	890	ND	Pass
Trichloroethene	0.0384	0.384	1	ND	Pass
Xylenes	1.0416	10.416	2170	ND	Pass

Date Tested: 03/15/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
Accreditation No. 73653

Mallory Speakman  
Laboratory Director - LA  
03/18/2019

Anya Engen  
Quality Manager  
03/18/2019



# LC022019

**Sample ID:** 1903CSALA1677.5903  
**Strain:** LC022019  
**Matrix:** Concentrates & Extracts  
**Type:** Other  
**Sample Size:** 1 units; Batch:

**Produced:** N/A  
**Collected:** 03/11/2019  
**Received:** 03/11/2019  
**Completed:** 03/18/2019  
**Batch#:**

**Client**  
**Theramu, LLC**  
**Lic. #**  
**PO Box 21445**  
**Bakersfield, CA 93390**

## Microbials

Test method: PCR-SOP 401

### Analyte

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

Date Tested: 03/15/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Mycotoxins

Test method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.001	0.005		ND	Tested
B2	0.007	0.022		ND	Tested
G1	0.007	0.022		ND	Tested
G2	0.006	0.021		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.013	0.045	20	ND	Pass

Date Tested: 03/15/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected;

## Heavy Metals

Testing method: ICPMS-SOP 501

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.001	0.01	0.2	0.010	Pass
Cadmium	0.001	0.01	0.2	<LOQ	Pass
Lead	0.001	0.01	0.5	0.051	Pass
Mercury	0.001	0.01	0.1	<LOQ	Pass

Date Tested: 03/18/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653

Mallory Speakman  
 Laboratory Director - LA  
 03/18/2019

Anya Engen  
 Quality Manager  
 03/18/2019

